

WUXI PORTFOLIO



S I N C E 1 9 2 5

HAYWARD® THE #1 BRAND



- A nearly **\$4 billion publicly traded company** headquartered in Charlotte North Carolina USA
- **Established in 1925** with a local industrial and logistics presence with a history driven by product innovations
- **Fully owned state of the art manufacturing facilities** in United States, Canada Spain, France, China & Australia
- A **well-established industry leader** with a highly- recognized brand and a **reputation for superior performance** with one of the **world's largest installed bases of pool equipment**, and extensive customer and distributor relationships
- Designs, manufactures, and markets a **full line of innovative, energy-efficient pool and spa equipment** with the necessary engineering, marketing and production resources
- Includes brands like AquaVac®, AquaRite®, ColorLogic®, OmniLogic®, OmniHub®, TriStar®, Super Pump®, TurboCell®, CAT Controllers®, HeatPro® HCP Pumps and Saline C® Series



Delivering exceptional products, outstanding service and innovative technology to create a **BETTER experience of water**



SHIP DIRECT FROM WUXI



- The **HAYWARD®** fully owned state of the art manufacturing facilities in China located in the industrial zone of Wuxi
- Full range of products to **complete a Totally Hayward pool system**
- Extensive product testing and certification
- Production primarily for Hayward markets in Europe, Australia, Canada and the US
- Save on **transportation costs** and **additional duties and levies** from the US
- Benefit from FTA with China



Delivering exceptional products, outstanding service and innovative technology to create a **BETTER** experience of water





PUMPS

SUPER II™ ECO

High Performance Single Speed Pumps



- High-performance motor with advanced airflow ventilation for quieter, cooler operation
- Full flow hydraulics a greater flow at a lower operation cost
- Motor and entire drive group assembly can be removed, without disturbing pipe or mounting connections by disengaging just six bolts
- Rigid construction includes load-extender ribbing for free-flowing operation, even under extra-heavy debris loads
- Suction lift up to 1.8m above water level without a check valve.
- Lexan cover to see whether the basket needs cleaning
- Rigid construction basket with load-exterior ribbing for free-flowing operation.
- Imperial connections available on request

50Hz	60Hz
SIIE230	SIIE2306
SIIE320	SIIE3206
SIIE350	SIIE4306
SIIE430	SIIE5306
SIIE530	SIIE5806
SIIE580	SIIE5836
SIIE583	



MaxFlo®

Medium Head Value Pump



SP1806HW81
SP1808HW111
SP1811HW161
SP1816HW221

- Compact design, ideal for very small equipment rooms
- Excellent value for money
- Input and output threaded 1.5"
- See-through strainer cover



MaxFlo® VS

Medium Head Variable Speed Pump



SP1811VS

- Easy to upgrade any MaxFlo® pump single speed variable-speed for better energy savings
- Permanent Magnet Motor provides superior efficiency and durability
- Adjustable Speed from 900 to 3000RPM for optimal performance and less chemical consumption
- Quick clean in one click



SwimPro® II

High Performance Value Pump



- Full-flow hydraulics that allow greater flow at a lower cost of operation.
- Suitable for all pool types, especially those requiring large flow volumes (infinity or overflow).
- Molded of PermaGlass XL corrosion proof laminate composite for durability
- Strainer with hand knobs for easy-open with Lexan lid
- 2.95 Liter pre-filter basket for extended time between cleanings 50mm socket adapters with 1 ½” adapter tail and 63mm socket adapters with optional 2” adapter tail - Self-priming capability –
- Drainage caps to make servicing easier
- Sealed and ventilated TEFC motor (IPX5)
- Available from ¾ Hp to 3 Hp

50Hz	60Hz
SWP200751	SWP200761
SWP201051	SWP201061
SWP201551	SWP201561
SWP202051	SWP202061
SWP203051	SWP203061
SWP203053	SWP203063



PowerFlo II

Small Single Speed Pumps



SP8105XE81
SP8107XE111
SP8110XE161
SP8115XE221

- Ideal for small pools and above ground pools
- Self-priming pump with closed and ventilated motor (IPX5)
- Silent pump
- 1.1 Liter pre-filter basket
- 50 mm outlet or $\varnothing$ 32/38 mm fluted adapters
- Imperial connections on request
- Exceptional performance, one of the best in its category



PowerLine™ PL by Hayward

Value Line Single Speed Pumps



50Hz	60Hz
81002	
81004	810046
81005	810056
81006	810066
81007	810076

- Ideal for small pools and above ground pools
- Self-priming pump with closed and ventilated motor (IPX5)
- Silent pump
- 1.1 Liter pre-filter basket
- Exceptional performance, one of the best in its category
- Imperial connections on request



KRIPSOL® S2

Single Speed Pump for Small Pools



KRIPSOL®

S2-025ME2
S2-033ME2
S2-050ME2
S2-075ME2
S2-100ME2
S2-150ME2

- Ideal for small pools and above ground pools
- Easy access to the pre-filter through the quarter turn cover
- Silent pump
- 1.1 Liter pre-filter basket
- Exceptional performance, one of the best in its category
- Imperial connections on request



SwimPro® Pump

Value Line Single Speed Pump



50Hz	60Hz
SWP120551	SWP1205
SWP120751	SWP1207
SWP121051	SWP1210
SWP121551	SWP1215

- 50mm socket adapters with optional 1.5" adapter tail.
- 1.1 Liter pre-filter basket extends time between cleanings
- Transparent, polycarbonate, ¼ turn cover for quick opening.
- High resistance to chemical and salt corrosion
- Heavy duty motor offers proven performance and quiet operation - Self-priming capability
- Sealed and ventilated TEFC motor (IPX5)
- Drainage caps to make servicing easier





BLOWERS

Air Blower



SPB101W

SPB102W

SPB151W

SPB152W

SPB201W

SPB202W

- Durable motor features a thermal switch and replaceable brushes for extended life
- Available in 230V and 115V, as well as multiple horsepower options for maximum versatility
- Mounting bracket makes installation convenient and simple
- Unique rubber motor base provides extremely quiet operation
- Full spring check valve prevents water from reaching the motor





FILTERS

ProSeries™

Hi-Rate Sand Filters



- Blown polyethylene filter for excellent resistance to high pressures (3.5 bar)
- Tank manufactured according to the NSF standard
- High resistance to treatment products
- Weather resistant, can be installed outdoors
- Easy maintenance of the filtering medium without removing the valve
- Swivel-mounted laterals for ease of maintenance
- 40 to 50 micron filtration



S144TW
S166TW
S180TW
S210TW
S240TW
S270TW
S310TW
S360TW *



* Spherical Shape

PowerLine™ by Hayward

Value Line Blow Molded Sand Filters



- 7 Top models (5m³/h to 30m³/h) and 2 Top models (10m³/h to 14m³/h)
- Base injected for a perfect fitting
- High density blow molded filter resist to all water treatment and weather conditions
- Anti corrosion tank for a use in every weather condition
- Foldable lateral : easily folded, will offer an easy maintenance of your sand filter



81100
81101
81102
81103
81104
81105
81106
81107 *
81113
81114

* Spherical Shape



KRIPSOL® S2 Series

Value Line Blow Molded Sand Filters



KRIPSOL®

- 7 Top models (5m³/h to 30m³/h)
- Base injected for a perfect fitting
- High density blow molded filter resist to all water treatment and weather conditions
- Anti corrosion tank for a use in every weather condition
- Foldable lateral : easily folded, will offer an easy maintenance of your sand filter

S2-900TOP *

S2-800TOP

S2-700TOP

S2-600TOP

S2-500TOP

S2-400TOP

S2-350TOP



* Spherical Shape

SwimPro® Swim Filter

Value Line Sand Filters



- 6 Top-mounted models (5m³/h to 30m³/h)
- Base injected for a perfect fitting
- High density blow molded filter resist to all water treatment and weather conditions
- Anti corrosion tank for a use in every weather condition
- Foldable lateral : easily folded, will offer an easy maintenance of your sand filter



SWIM400T
SWIM500T
SWIM600T
SWIM700T
SWIM800T
SWIM900T *

* Spherical Shape





ROBOTIC CLEANERS

TigerShark® & TigerShark® 2

Robotic Cleaner



- Cleans the pool floor, walls and waterline.
- Optimized cleaning, thanks to the control logic ASCL microprocessor
- Available in foam brush or in brushes versions depending on your pool coating
- High-capacity easy-to-remove and clean filtration cartridge
- For residential pools up to 6m x 12m 4 hr cleaning cycle
- Quick Clean version for complete cleaning in less than 90 minutes
- For Commercial pools 10 m x 20 m long 7 hr cleaning cycle
- 30 m cable
- Optional Caddy Cart available



RC9950CEB
RC9950CEF
RC9990CEB
RC9990CEF
RC9952FTS2
RC9952TS2
RC99385



iPowerShark®

CORDLESS ROBOTIC POOL CLEANER



HCH450WA

- Wireless, forget about cable entanglement
- Large battery (last up to 2 hours)
- Quick charge (up and running in 1,5 hours)
- Easy to use, only 1 button
- Connected, plan your cleaning with the app
- Adaptable to all pools and shapes
- Compact and light weight
- Powerful, thanks to 3 motors
- Clean floor, walls and waterline
- Gyroscope and infrared sensor to see-through your pool
- Close basket to keep the dirt in the robot





AUTOMATION

OmniLogic™

Elite Pool Automation System



HLBASEAU

- Intuitive, icon-based user-interface, set your controller to fit your preferences quickly and easily
- Modular Expandability.
- Built-in touch display for easy configuration and programming
- Fully programmable, automatic control of every output
- Optimized for use with Omni automation systems,
- Salt Compatibility. Designed to be salt-ready
- Full pump control of multiple VSP without using any relay
- Set schedules or themes, monitor and make adjustments when desired. Works with popular voice control systems like Amazon® Alexa®





HEATING

HydraHeat

Inverter Heat Pumps



- Fan speed adjusted according to the air temperature for a very quiet nighttime mode.
- Digital Colour Touchscreen Interface shows real time power consumption
- WiFi connectivity
- Designed to operate at low ambient temperatures (down to -7 °) in spring, and well through Autumn



PASRW030EE12

PASRW040EE17

PASRW050EE19

PASRW060EE24

PASRW070EE29

PASRW070EE35



HeatPro® CLEE Model

60Hz Inverter Heat Pumps



- Titanium heat exchanger
- AHRI Certified
- Intuitive control Panel
- Designed to operate at low ambient temperatures
- Stable current and lower energy consumption



HP55CLEE1
HP60CLEE1
HP80CLEE1
HP115CLEE1
HP140CLEE1





SANITIZATION

PowerLine™ PLUG_n_CLEAR

DIY salt chlorinator



PNCLEAR-05
PNCLEAR-10
PNCLEAR-20

- East installation with no gluing of the cell
- Comes pre-programmed
- Compatible with in-ground pools, above-ground pools and spas
- Large and clearly arranged user interface
- Compact and attractive design, suitable for small technical facilities
- Three tactile control buttons
- 3 programs: Manuel, Boost, Smart



Note: METRIC connections by default . Add on imperial by request

Automatic Chemical Feeders



- Ideal during new pool construction or aftermarket installations.
- Available for in-line and off-line configurations to accommodate most capacity, plumbing and space considerations.
- Units incorporate a durable ABS body along with a high-quality Viton® seal
- Ergonomically designed cover to allow for simple removal. For use with tri-chlore granular chlorine only.



CL100EF / CL110EF



CL200EF / CL220EF

CL220EF

CL2002S

CL200EF

CL220ABG

CL220BR

CL100EF

CL110ABG

CL110EF





VALVES

PSV Valves

Check Valves & Diverter Valves



- Diverter valves make water flow management simple and maintenance free
- Patented handle for quick customization of valve ports.
- Components made of corrosion resistant materials allow for improved performance over an extended life
- Available in multiple materials, size and port configurations
- Compatible with Hayward's GVA-24 electric valve actuators that can be used with Hayward automation systems



3-Way Valve



2-Way Valve



Check Valve

PSCV2S
PSCV2S2
PSCV2S2DGR
PSCV2SDGR
PSV2S
PSV2S2
PSV2S2DGR
PSV2SDGR
PSV3S
PSV3S2
PSV3S2DGR
PSV3SDGR




Trimline


Two Way Ball Valves




- Designed for maximum flow efficiencies and pressure ratings up to 50 psi.
- Dial handle for easy flow regulation and visual indication of valve setting.
- Teflon seats provide a dependable sealing surface.
- Optional end connections



SP0724S



SP0722



SP0723



VARIFLO®

Sand Filter Top-Mount Multiport Valve



SP0714T

- Easy-to-use lever action handle
- Up to seven valve/filter functions: filter, backwash, waste, rinse, closed, winter or recirculate.
- Complete with an integral sight glass






WATER FEATURES

Sheers & Deck Jets

Soothing spillovers



- Industry-first top-access light eliminates light loss, regardless of length
- Available in lengths from 1' to 8'
- Variable projection distances based on flow rate
- For straight, curved or custom wall surfaces
- LED Light not included. Sold separately



LED Sheer

WFS512B6LED
WFS518B6LED
WFS524B6LED
WFS536B6LED
WFS548B6LED
WFS560B6LED
WFS572B6LED
WFS584B6LED
WFS596B6LED

- Best in class nozzle with adjustable direction and flow—no tools required
- Industry's only height adjustment mechanism ensures perfect deck alignment even after settling
- Premium bronze colored cover
- Includes plug for pressure test and winterization



Deck Jet

WFJ500PAK4





MAIN DRAINS

WG Series

VGB Compliant Main Drain Fittings



- Industry's highest approved flow rates.
- Tested to ANSI/APSP/ICC-16 2017
- VGB compliant and meet CPSP requirements (Anti-Vortex)
- Square drain covers are available in a wide range of sizes and flow designs.
- Round suction outlets are available in a wide range of plumbing configurations, plaster collar options



WG1053AVPAK2




WG1154PAK2



WG1032HF2PAK2



WG1031HF2PAK2



WG1033HF2PAK2



SP1056

WG1030AVPAK2*
WG1031HF2PAK2
WG1031HFE
WG1032HFE
WG1032HF2PAK2
WG1033HF2PAK2
WG1053AVPAK2
WG1154SPAK2
WG1154SBLKPAK2
WG1154SDGRPAK2
SP1056



*Cover & Frame Only. BLACK on request min 500



SKIMMERS

SKIMMERS



Available in a very wide product range. Modern and robust styling



SP1091WMGR



3119



3119DGR



3110
Concrete Pool
Only – No Frame &
Gaskets



3119LG



3119SA

3110
3118
3119
3119DGR
3119LG
3119SA
SP1091WMDGR
SP1091WMGR




X-Pro 600 Skimmer



X600CW

- Infinity effect with 51mm achievable between floating line and pavement top
- Full integration into the pool area - colors and fillable lid
- Compliant with EN 16582-1, EN 16713-2 and AS1926.3-2010 standards
- Anti-entrapment design with latch on the lid to prevent opening
- 3 liters strainer for a reduced maintenance
- Connectivity thanks a space dedicated to level sensor and probes for automation and measurement,





POOL FITTINGS

Return Inlets



- Discreet, clean and elegant design
- Integration with the pool finishing.
- 1.5" and 2" connections
- High quality ABS with anti UV treatment.
- Heavy duty design



SP1022



SP1419A



SP1419



SP1022E19



SP1424



SP1425

SP1022E19D
SP1022E19E
SP1419A
SP1419B
SP1419C
SP1419D
SP1419E
SP1421D
SP1424
SP1424S
SP1425
SP1425S



JETAIR® & TURBO-BOOST

Hydrotherapy Fittings



- Balanced hydraulics let user mix and match jet nozzles without affecting performance of the system
- Modular packaging:
- A – Bodies/Bulkheads;
B – Jet nozzles



SP1450T



SP1434



SP1430

SP1430
SP1434EURO
SP1434PAKA
SP1434PAKADGR
SP1434PAKB
SP1434PAKBDGR
SP1450T
SP1450TE






OVERFLOW CHANNEL GRATINGS

OVERFLOW CHANNEL GRATING



- Made of polypropylene with UV resistant treatment
- Designed to EN 13451-1
- 55 elements = 1 meter
- The modular elements, connect under applied pressure without adhesive
- Available in heights of 20mm and 34mm

MODEL: NMR BB34
(B=width) STRAIGHT



MODEL: NMC BB34
(B=width) CURVED




MODEL: NMR BB20
(B=width) STRAIGHT




MODEL: NMC BB20
(B=width) CURVED




STRAIGHT Model (A = 34mm)




CURVED Model (A = 34mm)



STRAIGHT Model (A = 20mm)



CURVED Model (A = 20mm)



61010202000	NMR2020 box of 378 module
61010203400	NMR2034 box of 351 module
61010252000	NMR2520 box of 324 module
61010253400	NMR2534 box of 297 module
61010302000	NMR3020 box of 297 module
61010303400	NMR3034 box of 270 module
61011202000	NMC2020 box of 378 module
61011203400	NMC2034 box of 351 module
61011252000	NMC2520 box of 324 module
61011253400	NMC2534 box of 297 module
61011302000	NMC3020 box of 297 module
61011303400	NMC3034 box of 270 module

Available in complete boxes only. Approximately 55 modules per meter. Orders can't be done in lineal meters.





DECK BOXES

Deck Junction Boxes



- ABS construction
- One bottom and two side taps junction points
- Push-in cover with o-ring.
- Electrical connection and cord seal included
- Multiple color options



3495EURO

3495EURO

3495EURODGR

3495EUROLG

3495EUROSA



3495EUROLG



3495EURODGR



3495EUROSA





VACUUM HEADS

POWER-VAC™ AND SUPER-VAC™

Vacuum Heads



SP1067

SP1068

SP1068DL

- "See-thru" design for fast and easy cleaning
- Long-wearing brushes quickly loosen tough algae spots
- Contoured shape provides for easy corner and step cleaning
- 360° swivel connector ends aggravating hose tangling
- Optional weight package for extra vacuuming convenience



HAYWARD IMG, A DIVISION OF HAYWARD HOLDINGS, INC. HAS A DEDICATED TEAM TO SERVICE CUSTOMERS AROUND THE WORLD.



LATIN AMERICA & CARRIBEAN



MIDDLE EAST & AFRICA



ASIA & PACIFIC

HAYWARD IMG | 8175, W. Buckeye Rd . | Phoenix 85043 | USA



HAYWARD®

SINCE 1925