





Sollos fixtures are available in multiple styles, sizes and finishes to compliment any backyard environment. All ground mount fixtures are packaged with a sturdy eight-inch ground stake. All fixtures are packaged with waterproof wire connectors. Sollos Lighting offers select fixtures in a kitted version which includes an LED lamp.

PATH LIGHTS

WALK WITH CONFIDENCE



STRAIGHT



TRADITIONAL



DOME



MUSHROOM



P90°



BOLLARD



WIDE RANGE OF FINISHES

ENHANCE YOUR OUTDOOR SPACES



ANTIQUÉ
BRASS




COPPER



STAINLESS
STEEL



TEXTURED
BRONZE



TEXTURED
BLACK

BULLETS LIGHTS

HIGHLIGHT YOUR BEST FEATURES



CONTEMPORARY



STRAIGHT



MODERN



DOWN

FLOOD, IN-GROUND, & WELL LIGHTS

ENHANCE HARDSCAPE FEATURES



FLOOD



UP LIGHT



IN GROUND



WELL



UNDERWATER

STEP, LEDGE, POST, & HANGING LIGHTS

SMALL FOOTPRINT, LARGE IMPACT



SURFACE MOUNT STEP
(3" x 9")



SURFACE MOUNT STEP
(3" x 5")



LEDGE



POST



HANGING

STRAIGHT PATH LIGHTS

Straight Path Light, 4" Hat

MODEL NUMBER	DESCRIPTION	FINISH	POWER RATING	EQV. WATT	LAMP MODEL	COLOR TEMP	LUMENS	CTN. QTY.
913021	PSH040-TB-12	Textured Black			<i>Fixture Only</i>			1
913021S	PSH040-TB-12-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
913028	PSH040-TB-15	Textured Black			<i>Fixture Only</i>			1
913028S	PSH040-TB-15-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
913023	PSH040-TZ-12	Textured Bronze			<i>Fixture Only</i>			1
913148S	PSH040-TZ-12-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1
913030	PSH040-TZ-15	Textured Bronze			<i>Fixture Only</i>			1
913030S	PSH040-TZ-15-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1

Straight Path Light, 5.5" Hat

910021	PSH055-TB-12	Textured Black			<i>Fixture Only</i>			1
910021S	PSH055-TB-12-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
910028	PSH055-TB-15	Textured Black			<i>Fixture Only</i>			1
915311S	PSH055-TB-15-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
910035	PSH055-TB-18	Textured Black			<i>Fixture Only</i>			1
910035S	PSH055-TB-18-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
910023	PSH055-TZ-12	Textured Bronze			<i>Fixture Only</i>			1
910128S	PSH055-TZ-12-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1
910030	PSH055-TZ-15	Textured Bronze			<i>Fixture Only</i>			1
915310S	PSH055-TZ-15-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1
910037	PSH055-TZ-18	Textured Bronze			<i>Fixture Only</i>			1
910037S	PSH055-TZ-18-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1

Straight Path Light, 7.5" Hat

911028	PSH075-TB-15	Textured Black			<i>Fixture Only</i>			1
915315S	PSH075-TB-15-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
911035	PSH075-TB-18	Textured Black			<i>Fixture Only</i>			1
911035S	PSH075-TB-18-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
911030	PSH075-TZ-15	Textured Bronze			<i>Fixture Only</i>			1
915314S	PSH075-TZ-15-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1
911037	PSH075-TZ-18	Textured Bronze			<i>Fixture Only</i>			1
911037S	PSH075-TZ-18-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1

Straight Path Light, 9" Hat

914028	PSH090-TB-15	Textured Black			<i>Fixture Only</i>			1
914028S	PSH090-TB-15-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
914035	PSH090-TB-18	Textured Black			<i>Fixture Only</i>			1
914035S	PSH090-TB-18-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
914030	PSH090-TZ-15	Textured Bronze			<i>Fixture Only</i>			1
914030S	PSH090-TZ-15-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1
914037	PSH090-TZ-18	Textured Bronze			<i>Fixture Only</i>			1



STRAIGHT 4"



STRAIGHT 5.5"



STRAIGHT 7.5"



STRAIGHT 9"

TRADITIONAL PATH LIGHTS

Traditional Path Light, 4" Hat

MODEL NUMBER	DESCRIPTION	FINISH	POWER RATING	EQV. WATT	LAMP MODEL	COLOR TEMP	LUMENS	CTN. QTY.
915400	PTH040-AB-12	Antique Brass			<i>Fixture Only</i>			1
915445S	PTH040-AB-12-JC3/830/IP65/LED	Antique Brass	2.5W	20W	81996	3000K	250	1
915403	PTH040-AB-15	Antique Brass			<i>Fixture Only</i>			1
915403S	PTH040-AB-15-JC3/830/IP65/LED	Antique Brass	2.5W	20W	81996	3000K	250	1
915402	PTH040-CU-12	Copper			<i>Fixture Only</i>			1
915405	PTH040-CU-15	Copper			<i>Fixture Only</i>			1
915562	PTH040-SS-12	Stainless Steel			<i>Fixture Only</i>			1

Traditional Path Light, 5.5" Hat

915454	PTH055-AB-12	Antique Brass			<i>Fixture Only</i>			1
915454S	PTH055-AB-12-JC3/830/IP65/LED	Antique Brass	2.5W	20W	81996	3000K	250	1
915457	PTH055-AB-15	Antique Brass			<i>Fixture Only</i>			1
915493S	PTH055-AB-15-JC3/830/IP65/LED	Antique Brass	2.5W	20W	81996	3000K	250	1
915460	PTH055-AB-18	Antique Brass			<i>Fixture Only</i>			1
915460S	PTH055-AB-18-JC3/830/IP65/LED	Antique Brass	2.5W	20W	81996	3000K	250	1

Traditional Path Light, 7.5" Hat

915511	PTH075-AB-15	Antique Brass			<i>Fixture Only</i>			1
915511S	PTH075-AB-15-JC3/830/IP65/LED	Antique Brass	2.5W	20W	81996	3000K	250	1
915514	PTH075-AB-18	Antique Brass			<i>Fixture Only</i>			1
915514S	PTH075-AB-18-JC3/830/IP65/LED	Antique Brass	2.5W	20W	81996	3000K	250	1
915566	PTH075-SS-15	Stainless Steel			<i>Fixture Only</i>			1
915567	PTH075-SS-18	Stainless Steel			<i>Fixture Only</i>			1
915516	PTH075-CU-18	Copper			<i>Fixture Only</i>			1



TRADITIONAL 4"



TRADITIONAL 5.5"



TRADITIONAL 7.5"



PATH LIGHTS - MODERN, DOME, AND MUSHROOM

Dome Path Light, 8.3" Hat

915028	PDO083-TB-15	Textured Black	<i>Fixture Only</i>					12
915145S	PDO083-TB-15-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	12
915035	PDO083-TB-18	Textured Black	<i>Fixture Only</i>					12
915140S	PDO083-TB-18-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	12
915030	PDO083-TZ-15	Textured Bronze	<i>Fixture Only</i>					12
915312S	PDO083-TZ-15-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	12
915037	PDO083-TZ-18	Textured Bronze	<i>Fixture Only</i>					12
915037S	PDO083-TZ-18-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	12

Mushroom Path Light, 5" Hat

912003	PMU050-TB-15	Textured Black	<i>Fixture Only</i>					12
912018S	PMU050-TB-15-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	12
912005	PMU050-TZ-15	Textured Bronze	<i>Fixture Only</i>					12
912005S	PMU050-TZ-15-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	12



DOME 8.3" HAT



MUSHROOM 5" HAT



PATH LIGHTS- P90° AND BOLLARD

90° Path Light

MODEL NUMBER	DESCRIPTION	FINISH	POWER RATING	EQV. WATT	LAMP MODEL	COLOR TEMP	LUMENS	CTN. QTY.	
27533	P90-TZ-20	Textured Bronze	<i>Fixture Only</i>						1
27533S	P90-TZ-20-JC3/830/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1	
27530	P90-TB-20	Textured Black	<i>Fixture Only</i>						1
27530S	P90-TB-20-JC3/830/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1	
27536	P90-AB-20	Antique Brass	<i>Fixture Only</i>						1
27536S	P90-AB-20-JC3/830/IP65/LED	Antique Brass	2.5W	20W	81996	3000K	250	1	

Bollard Path Light

27546	PBL-TZ-16	Textured Bronze	<i>Fixture Only</i>						1
27546S	PBL-TZ-16-MR16BAB/827/LED	Textured Bronze	4W	20W	81060L	2700K	270	1	
27543	PBL-TB-16	Textured Black	<i>Fixture Only</i>						1
27543S	PBL-TB-16-MR16BAB/827/LED	Textured Black	4W	20W	81060L	2700K	270	1	
27540	PBL-AB-16	Antique Brass	<i>Fixture Only</i>						1
27540S	PBL-AB-16-MR16BAB/827/LED	Antique Brass	4W	20W	81060L	2700K	270	1	

ADJUSTABLE BASE PATH LIGHTS

Adjustable Base Path Light

MODEL NUMBER	DESCRIPTION	FINISH	POWER RATING	EQV. WATT	LAMP MODEL	COLOR TEMP	LUMENS	CTN. QTY.	
27554	PTH075-TB-1936	Textured Black	<i>Fixture Only</i>						1
27558	PTH075-TZ-1936	Textured Bronze	<i>Fixture Only</i>						1
27550	PTH075-AB-1936	Antique Brass	<i>Fixture Only</i>						1



P90°



BOLLARD



ADJUSTABLE
BASE PATH LIGHT



Contemporary Series Bullet - 6.5"

MODEL NUMBER	DESCRIPTION	FINISH	POWER RATING	EQV. WATT	LAMP MODEL	COLOR TEMP	LUMENS	CTN. QTY.
995502	BCB065-AB	Antique Brass			<i>Fixture Only</i>			1
921322S	BCB065-AB-MR16BAB/827/LED	Antique Brass	4W	20W	81060L	2700K	270	1
20080S	BCB065-AB-MR16FL4/827/LED	Antique Brass	4W	20W	81098	2700K	250	1
27503S	BCB065-AB-MR16FL4.5/827/LED	Antique Brass	4.5W	35W	82095	2700K	390	1
995506	BCB065-TB	Textured Black			<i>Fixture Only</i>			1
921362S	BCB065-TB-MR16BAB/827/LED	Textured Black	4W	20W	81060L	2700K	270	1
27603S	BCB065-TB-MR16BAB4/827/LED	Textured Black	4W	20W	81060L	2700K	270	1
995508	BCB065-TZ	Textured Bronze			<i>Fixture Only</i>			1
921363S	BCB065-TZ-MR16BAB/827/LED	Textured Bronze	4W	20W	81060L	2700K	270	1

Straight 6.7" Series Bullet

995532	BSB067-AB	Antique Brass			<i>Fixture Only</i>			1
995534	BSB067-CU	Copper			<i>Fixture Only</i>			1
995536	BSB067-SS	Stainless Steel			<i>Fixture Only</i>			1

Straight 6.2" Series Bullet

995310	BSB062-TB	Textured Black			<i>Fixture Only</i>			1
922753S	BSB062-TB-MR16BAB/827/LED	Textured Black	4W	20W	81060L	2700K	270	1
995314	BSB062-TZ	Textured Bronze			<i>Fixture Only</i>			1
922754S	BSB062-TZ-MR16BAB/827/LED	Textured Bronze	4W	20W	81060L	2700K	270	1

Modern 6.2" Series Bullet

995100	BMB062-TB	Textured Black			<i>Fixture Only</i>			1
920219S	BMB062-TB-MR16BAB/827/LED	Textured Black	4W	20W	81060L	2700K	270	1
995104	BMB062-TZ	Textured Bronze			<i>Fixture Only</i>			1
920220S	BMB062-TZ-MR16BAB/827/LED	Textured Bronze	4W	20W	81060L	2700K	270	1

Straight 5.4" Series Bullet (MR11)

995364	BSB054-CU	Copper			<i>Fixture Only</i>			1
--------	-----------	--------	--	--	---------------------	--	--	---

Down Lights 7.5" with Mounting Base

995503	DL-BCB075-AB	Antique Brass			<i>Fixture Only (Contemporary)</i>			1
995504	DL-BSB077-AB	Antique Brass			<i>Fixture Only (Straight)</i>			1



CONTEMPORARY 6.5"



STRAIGHT 6.7"



STRAIGHT 6.2"



MODERN 6.2"



STRAIGHT 5.4"
(MR11)



DOWN LIGHT
7.5"

STEP LIGHTS

Surface Mount Step Light – 3" x 5"

27520	SMSL050/827/TB	Textured Black	2.5W	20W	Integrated LED	2700K	NA	—	1
27521	SMSL050/827/TZ	Textured Bronze	2.5W	20W	Integrated LED	2700K	NA	—	1
27522	SMSL050/827/AB	Antique Brass	2.5W	20W	Integrated LED	2700K	NA	—	1

Surface Mount Step Light – 3" x 9"

27523	SMSL090/827/TB	Textured Black	5W	35W	Integrated LED	2700K	NA	—	1
27524	SMSL090/827/TZ	Textured Bronze	5W	35W	Integrated LED	2700K	NA	—	1
27525	SMSL090/827/AB	Antique Brass	5W	35W	Integrated LED	2700K	NA	—	1



SURFACE MOUNT STEP
(3" x 5")



SURFACE MOUNT STEP
(3" x 9")



LEDGE, POST, & HANGING LIGHTS

Ledge Lights

MODEL NUMBER	DESCRIPTION	FINISH	POWER RATING	EQV. WATT	LAMP MODEL	COLOR TEMP	LUMENS	CTN. QTY.
99960	LLA055/827/TB	Textured Black	0.6W	10W	Integrated LED	2700K	120	1/24
99961	LLA055/827/TZ	Textured Bronze	0.6W	10W	Integrated LED	2700K	120	1/24
99980	LLA055/827/AB	Antique Brass	0.6W	10W	Integrated LED	2700K	120	1/24
99964	LLA055/827	Lamp Only	0.6W	10W	Integrated LED	2700K	120	1/24
27516	LLA055/RGBW/2/TB	Textured Black	2W	10W	Integrated LED	RGBW	120	1/24
27517	LLA055/RGBW/2/TZ	Textured Bronze	2W	10W	Integrated LED	RGBW	120	1/24
27518	LLA055/RGBW	Lamp Only	2W	10W	Integrated LED	RGBW	120	1/24

Deck Post Lights

997104	DPL033-AB	Antique Brass			<i>Fixture Only</i>			1
940025S	DPL033-AB-JC1/830/IP65/LED	Antique Brass	1.2W	10W	81998	300K	110	1
940002	DPL033-TB	Textured Black			<i>Fixture Only</i>			1
940014S	DPL033-TB-JC1/830/IP65/LED	Textured Black	1.2W	10W	81998	300K	110	1
940003	DPL033-TZ	Textured Bronze			<i>Fixture Only</i>			1
940015S	DPL033-TZ-JC1/830/IP65/LED	Textured Bronze	1.2W	10W	81998	300K	110	1

Hanging Lights

997402	HLS043-AB	Antique Brass			<i>Fixture Only</i>			1
943021S	HLS043-AB-MR16WFL10/827/LED	Antique Brass	2.5W	10W	81057	2700K	200	1



LEDGE



DECK POST



HANGING



FLOOD, IN-GROUND, & WELL LIGHTS

Mini Floods

MODEL NUMBER	DESCRIPTION	FINISH	POWER RATING	EQV. WATT	LAMP MODEL	COLOR TEMP	LUMENS	CTN. QTY.
995407	FRF057-TB	Textured Black			<i>Fixture Only</i>			1
995412S	FRF057-TB-JC3/830/OMNI/IP65/LED	Textured Black	2.5W	20W	81996	3000K	250	1
995411S	FRF057-TB-JC35/4WW/LED	Textured Black	4.5W	35W	80830	3000K	450	1
995409	FRF057-TZ	Textured Bronze			<i>Fixture Only</i>			1
995414S	FRF057-TZ-JC3/830/OMNI/IP65/LED	Textured Bronze	2.5W	20W	81996	3000K	250	1
995413S	FRF057-TZ-JC35/4WW/LED	Textured Bronze	4.5W	35W	80830	3000K	450	1
995405	FRF057-AB	Antique Brass			<i>Fixture Only</i>			1
27504S	FRF057-AB-JC3/830/OMNI/IP65/LED	Antique Brass	2.5W	20W	81996	3000K	250	1
995410S	FRF057-AB-JC35/4WW/LED	Antique Brass	4.5W	35W	80830	3000K	450	1

Par 36 Round Up Light

999996	BSB036-TB	Textured Black			<i>Fixture Only</i>			1
999995	BSB036-TZ	Textured Bronze			<i>Fixture Only</i>			1
999997	BSB036-AB	Antique Brass			<i>Fixture Only</i>			1

Inground Light Fixtures – Not for use with concrete

MODEL NUMBER	DESCRIPTION	FINISH	POWER RATING	EQV. WATT	LAMP MODEL	COLOR TEMP	LUMENS	STYLE	CTN. QTY.
996232	IGG049-AB	Antique Brass			<i>Fixture Only</i>			Rock Guard	1
996200	IGG049-CB	Composite Black			<i>Fixture Only</i>			Rock Guard	1
996234	IGG049-SS	Stainless Steel			<i>Fixture Only</i>			Rock Guard	1
996132	IGT049-AB	Antique Brass			<i>Fixture Only</i>			Trim Ring	1
996100	IGT049-CB	Composite Black			<i>Fixture Only</i>			Trim Ring	1
996134	IGT049-SS	Stainless Steel			<i>Fixture Only</i>			Trim Ring	1

Well Lights – Not for use with concrete

MODEL NUMBER	DESCRIPTION	FINISH	POWER RATING	EQV. WATT	LAMP MODEL	COLOR TEMP	LUMENS	CTN. QTY.
996300	WPO055-CB	Composite Black			<i>Fixture Only</i>			1
932017S	WPO055-CB-PAR36/WFL4/827/IP67/LED	Composite Black	4.5W	20W	81074	2700K	300	1
932018S	WPO055-CB-PAR36/WFL6/827/IP67/LED	Composite Black	6.5W	35W	81075	2700K	450	1
932020S	WPO055-CB-PAR36/WFL10/RGBW/LED	Composite Black	10W	35W	82142	RGBW	800	1

Underwater Pond and Fountain Light

999998S	UWL-R33-AB-30K	Antique Brass	4.5W	81067	81067	3000K	390	1
998012	UWL-R33-AB	Antique Brass			<i>Fixture Only</i>			1



MINI FLOOD



IN-GROUND
ROCK GUARD



UNDERWATER



UP LIGHT



WELL



IN-GROUND
TRIM RING

COLORSPASH LAMPS



Our color changing LED lights set the stage for dazzling outdoor spaces. Jazz up your landscaping with the perfect hue to fit your mood. Change the settings quickly and easily from your phone with our free Sollos® ColorSplash® app.

- » RGB-W color-changing plus white in single product
- » Maximum app connection of 128 devices.
- » Controlled with the Sollos® ColorSplash® app
- » 80% more efficient than halogen equivalent
- » Five year warranty

MR16 RGB-W LAMP

- » 80 or above CRI (Color Rendering Index)
- » 40° Beam
- » RGB and Warm White (2700K)



MODEL NUMBER	PRODUCT CODE	WATTAGE	BASE
82099B	MR16FL6/RGBW/LED	6W	GU5.3

JC10 RGB-W LED LAMP

- » Compact Size
- » Designed for use in Sollos path lights



MODEL NUMBER	PRODUCT CODE	WATTAGE	BASE
82143B	JC10/RGBW/LED	1.5W	G4

PAR36 RGB-W LED LAMP


- » IP68 rated for waterproof installations
- » Multi-purpose base for slip-on or screw terminal connections
- » 40° Beam spread



MODEL NUMBER	PRODUCT CODE	WATTAGE	BASE
82142B	PAR36WFL10/RGBW/IP68/LED	10W	MP Term

LEDGE LIGHT RGB-W LED FIXTURE

- » IP65 rated for outdoor installations
- » 10' cable length



MODEL NUMBER	PRODUCT CODE	WATTAGE	MATERIAL
27516B	LLA055/RGBW/TB	2W	Textured Black Aluminum
27517B	LLA055/RGBW/TZ	2W	Textured Bronze Aluminum
27518B	LLA055/RGBW	2W	Replacement LED Module

REPEATER MODULE

To help ensure a seamless installation while increasing coverage and range, Sollos® Lighting highly recommends using our repeater module on your ColorSplash Landscape Lighting installation.



MODEL NUMBER	PRODUCT CODE
27514B	SCSBTR



Download the **FREE** Sollos® ColorSplash® app and bring the power of color changing lighting control to your fingertips! Using the app, you can connect lighting, create zones, turn on/off, change or create programs and more!



LOW VOLTAGE TRANSFORMERS

Integrated Series - With Built-In Photocell and Timer

MODEL NUMBER	DESCRIPTION	FINISH	WATTAGE	CTN. QTY.
997012	TR12PC-INT-100	Composite Black	100W	1

Integrated Series Gen 2 - With Built-In Photocell and Timer

997015	TR15SS1-INT-150	Stainless Steel	150W	1
997017	TR15SS1-INT-300	Stainless Steel	300W	1

Commercial Series Transformers- No Timer or Photocell Included

998001	TR 15SS-150	Stainless Steel	150W	1
998004	TR 15SS-300	Stainless Steel	300W	1
997006	TR15SS-600	Stainless Steel	600W	1



INTEGRATED
SERIES



INTEGRATED
SERIES GEN-2



INTEGRATED
SERIES GEN-2



COMMERCIAL



Risers, Deck Mount, Timers and Photocells

MODEL NUMBER	DESCRIPTION	FINISH	TYPE	SIZE	CTN. QTY
998142	DMT027-AB	Antique Brass	Mounting Plate	—	1
998140	DMT027-TB	Textured Black	Mounting Plate	—	1
998141	DMT027-TZ	Textured Bronze	Mounting Plate	—	1
998100	GS08	—	Ground Stake	8"	1
998103	GS08-NS	—	Ground Stake PVC (No slot Cutout)	8"	1
998005	RSR12-TZ	Textured Bronze	Riser	12"	1
998006	RSR12-TB	Textured Black	Riser	12"	1
998106	RSR12-AB	Antique Brass	Riser	12"	1
998007	RSR18-TZ	Textured Bronze	Riser	18"	1
998008	RSR18-TB	Textured Black	Riser	18"	1
998108	RSR18-AB	Antique Brass	Riser	18"	1
998205	TMDA	—	Timer, Digital Astronomic	—	1
998200	TMA	—	Timer, Analog	—	1
998300	PCS	—	Photo Cell	6"	1



GROUND STAKE 8"



RISER 12"-18"



MOUNTING PLATE



TIMER (ANALOG)



TIMER (DIGITAL)




Bullet and Path Lights

MODEL NUMBER	27806	27800	27811
Description	SSP-1-TZ	SSP-1-TB	SSP-1-AB
Finish	Textured Bronze	Textured Black	Antique Brass
Fixtures	6 each Bullets and LED Lamps	6 each Bullets and LED Lamps	6 each Bullets and LED Lamps
Description	BCB065-TZ and MR16FL4/827/LED	BCB065-TB and MR16BAB/827/LED	BCB065-AB and MR16BAB/827/LED
Additional Fixtures	4 each Paths and LED Lamps	4 each Paths and LED Lamps	4 each Paths and LED Lamps
Description	PSH075-TZ-18 and JC3/830/OMNI/IP65/LED	PSH075-TB-18 and JC3/830/OMNI/IP65/LED	PTH075-AB-18 and JC3/830/OMNI/IP65/LED
Transformer	1 each Transformer: Integrated timer/ photocell 150W transformer	1 each Transformer: Integrated timer/ photocell 150W transformer	1 each Transformer: Integrated timer/ photocell 150W transformer
Description	TR15SS1-INT-150	TR15SS1-INT-150	TR15SS1-INT-150

Ledge Lights

MODEL NUMBER	99985	27816	27818	27815	27825	27826
Description	HKPP-1	HKLLT-2	HKPP-2	HKLLT-1	HKLLT-4	HKLLT-5
Finish	Textured Bronze	Textured Bronze	Textured Black	Textured Black	Textured Black	Textured Bronze
Fixtures	10 each Ledge Lights	10 each Ledge Lights	10 each Ledge Lights	10 each Ledge Lights	10 Each RGBW Ledge Lights	10 Each RGBW Ledge Lights
Description	LLA055/827/TZ	LLA055/827/TZ	LLA055/827/TB	LLA055/827/TB	LLA055/RGBW/TB	LLA055/RGBW/TZ
Transformer	1 each Transformer: Integrated timer/ photocell 150W transformer	1 each Transformer: Integrated timer/ photocell 150W transformer	1 each Transformer: Integrated timer/ photocell 150W transformer	1 each Transformer: Integrated timer/ photocell 150W transformer	1 each Transformer: Integrated timer/ photocell 150W transformer	1 each Transformer: Integrated timer/ photocell 150W transformer
Description	TR15SS1-INT-150	TR15SS1-INT-150	TR15SS1-INT-150	TR15SS1-INT-150	TTR15SS1-INT-150	TR15SS1-INT-150
Cable	1 each Spool of 100' 14/2 Landscape Lighting Cable + 1 Cable Cutter/ Splicer Tool		1 each Spool of 100' 14/2 Landscape Lighting Cable + 1 Cable Cutter/ Splicer Tool			



27806

27800

27816 and 27815

LAMPS

MR16 LED Lamps, 10W Equivalent, MR Silver Series

SKU	BASE	PRODUCT CODE	DESCRIPTION	PKG QTY.	VOLTS	COLOR TEMP	POWER	LUMENS	CBCP	EQV. WATT.	AVG. LIFE	MOL	BEAM SPREAD
81055	GU5.3	MR16NFL10/827/LED	Narrow Flood 2700K LED	1/10	10-18	2700K	2.5W	200	800	10W	40000	1.97"	20°
81079	GU5.3	MR16NFL10/830/LED	Narrow Flood 3000K LED	1/10	10-18	3000K	2.5W	210	830	10W	40000	1.97"	20°
81056	GU5.3	MR16FL10/827/LED	Flood 2700K LED	1/10	10-18	2700K	2.5W	200	300	10W	40000	1.97"	40°
81077	GU5.3	MR16FL10/830/LED	Flood 3000K LED	1/10	10-18	3000K	2.5W	210	320	10W	40000	1.97"	40°
81058	GU5.3	MR16FL10/850/LED	Flood 5000K LED	1/10	10-18	5000K	2.5W	230	350	10W	40000	1.97"	40°
81057	GU5.3	MR16WFL10/827/LED	Wide Flood 2700K LED	1/10	10-18	2700K	2.5W	200	200	10W	40000	1.97"	60°
81080	GU5.3	MR16WFL10/830/LED	Wide Flood 3000K LED	1/10	10-18	3000K	2.5W	210	220	10W	40000	1.97"	60°

MR16 LED Lamps, 20W Equivalent, MR Silver Series

81059	GU5.3	MR16BBF/827/LED	Narrow Flood 2700K LED	1/10	10-18	2700K	4W	270	900	20W	40000	1.97"	20°
81081	GU5.3	MR16BBF/830/LED	Narrow Flood 3000K LED	1/10	10-18	3000K	4W	280	1100	20W	40000	1.97"	20°
81060L	GU5.3	MR16BAB/827/LED	Flood 2700K LED	1/10	10-18	2700K	4W	350	440	20W	40000	1.97"	40°
81062L	GU5.3	MR16BAB/830/LED	Flood 3000K LED	1/10	10-18	3000K	4W	350	500	20W	40000	1.97"	40°
81063L	GU5.3	MR16BAB/850/LED	Flood 5000K LED	1/10	10-18	5000K	4W	310	530	20W	40000	1.97"	40°
81061L	GU5.3	MR16WFL20/827/LED	Wide Flood 2700K LED	1/10	10-18	2700K	4W	350	210	20W	40000	1.97"	60°
81082	GU5.3	MR16WFL20/830/LED	Wide Flood 3000K LED	1/10	10-18	3000K	4W	350	230	20W	40000	1.97"	60°

MR16 LED Lamps, 35W Equivalent, MR Silver Series

81064	GU5.3	MR16FRA/827/LED	Narrow Flood 2700K LED	1/10	10-15	2700K	4.5W	380	900	35W	40000	1.97"	20°
81083	GU5.3	MR16FRA/830/LED	Narrow Flood 3000K LED	1/10	10-15	3000K	4.5W	280	1100	35W	40000	1.97"	20°
81065	GU5.3	MR16FMW.827/LED	Flood 2700K LED	1/10	10-15	2700K	4.5W	380	440	35W	40000	1.97"	40°
81067	GU5.3	MR16FMW/830/LED	Flood 3000K LED	1/10	10-15	3000K	4.5W	380	500	35W	40000	1.97"	40°
81068	GU5.3	MR16FMW/850/LED	Flood 5000K LED	1/10	10-15	5000K	4.5W	310	530	35W	40000	1.97"	40°
81066	GU5.3	MR16WFL35/827/LED	Wide Flood 2700K LED	1/10	10-15	2700K	4.5W	380	210	35W	40000	1.97"	60°
81084	GU5.3	MR16WFL35/830/LED	Wide Flood 3000K LED	1/10	10-15	3000K	4.5W	380	230	35W	40000	1.97"	60°

MR16 LED Lamps, 50W Equivalent, MR Silver Series

81069L	GU5.3	MR16EXZ/827/LED	Narrow Flood 2700K LED	1/10	10-18	2700K	8W	590	2700	50W	40000	1.97"	20°
81085	GU5.3	MR16EXZ/830/LED	Narrow Flood 3000K LED	1/10	10-18	3000K	8W	600	2800	50W	40000	1.97"	20°
81070L	GU5.3	MR16EXN/827/LED	Flood 2700K LED	1/10	10-18	2700K	8W	590	1100	50W	40000	1.97"	40°
81072L	GU5.3	MR16EXN/830/LED	Flood 3000K LED	1/10	10-18	3000K	8W	600	1200	50W	40000	1.97"	40°
81073L	GU5.3	MR16EXN/850/LED	Flood 5000K LED	1/10	10-18	5000K	8W	660	1400	50W	40000	1.97"	40°
81071L	GU5.3	MR16FNV827/LED	Wide Flood 2700K LED	1/10	10-18	2700K	8W	590	500	50W	40000	1.97"	60°
81086	GU5.3	MR16FNV/830/LED	Wide Flood 3000K LED	1/10	10-18	3000K	8W	600	520	50W	40000	1.97"	60°

MR16 LED Lamps, 20W-35W Equivalent, MR Black Series

81103L	GU5.3	MR16NFL4/827/LED	Narrow Flood-LED MR Black Series	1/10	10-15	2700K	4W	250	860	20W	30000	1.97"	20°
81098	GU5.3	MR16FL4/827/LED	Flood-LED MR Black Series	1/10	10-15	2700K	4W	250	410	20W	30000	1.97"	40°
81099	GU5.3	MR16WFL4/827/LED	Wide Flood-LED MR Black Series	1/10	10-15	2700K	4W	250	200	20W	30000	1.97"	60°
82094	GU5.3	MR16NFL4.5/827/LED	Narrow Flood-LED MR Black Series	1/10	10-15	2700K	4.5W	390	NA	35W	30000	1.97"	20°
82095	GU5.3	MR16FL4.5/827/LED	Flood-LED MR Black Series	1/10	10-15	2700K	4.5W	390	NA	35W	30000	1.97"	40°



MR16



MR16 (BLACK)



MR11 LED Lamp, 20W Equivalent

SKU	BASE	PRODUCT CODE	DESCRIPTION	PKG QTY.	VOLTS	COLOR TEMP	POWER	LUMENS	CBCP	EQV. WATT.	AVG. LIFE	MOL	BEAM SPREAD
81096	GU4	MR11FTC/827/LED	Narrow Flood 2700K LED	1/10	10-18	2700K	3W	230	600	20W	40000	1.97"	20°
81093	GU4	MR11FTD/827/LED	Narrow Flood 3000K LED	1/10	10-18	3000K	3W	230	420	20W	40000	1.97"	20°
81094	BA15d	MR11FTD/827/BA15D/LED	Flood 2700K LED	1/10	10-18	2700K	3W	230	420	20W	40000	1.97"	40°
81095	GU4	MR16EXN/830/LED	Flood 3000K LED	1/10	10-18	3000K	3W	230	500	20W	40000	1.97"	40°

JC Series LED Lamps, 10-35W Equivalent

81998	G4	JC1/830/OMNI/IP65/LED	IP65 Omnidirectional LED	1/10	10-15	3000K	1.2W	110	—	10W	15000	1.18"	—
81091	G4	JC2S/827/LED2	IP65 Rated 2700K Short LED	1/10	10-15	2700K	1.4W	140	—	20W	40000	0.98"	—
81092	G4	JC2S/830/LED2	IP65 Rated 3000K Short LED	1/10	10-15	3000K	1.4W	150	—	20W	40000	0.98"	—
80693	G4	JC10/1WW/LED	3000K LED	1/10	10-24	3000K	1.5W	150	—	20W	30000	1.21"	—
80692	BA15S	JC10/1WW/BA15S/LED	Omnidirectional LED	1/10	10-24	3000K	1.5W	150	—	20W	30000	1.70"	—
81999	G4	JC2/830/OMNI/IP65/LED	IP65 Omnidirectional LED	1/10	10-15	3000K	1.6W	180	—	20W	15000	1.46"	—
81109	G4	JC2/827/LED2	IP65 Rated 2700K LED	1/10	10-15	2700K	2.3W	250	—	20W	40000	1.57"	—
81108	G4	JC20/2WW/LED2	IP65 Rated 3000K LED	1/10	10-15	3000K	2.3W	250	—	20W	40000	1.57"	—
80690	G4	JC20/2WW/LED	3000K LED	1/10	10-24	3000K	2.4W	250	—	20W	30000	1.81"	—
80691	BA15S	JC20/2WW/BA15S/LED	3000K LED	1/10	10-24	3000K	2.4W	250	—	20W	30000	2.01"	—
80815	G4	JC20/2NW/LED	Omnidirectional 5000K	1/10	10-15	5000K	2.4W	260	—	20W	30000	1.81"	—
81100L	BA15S	JC20/2WW/BA15S/LED2	3000K LED	1/10	10-15	3000K	2.3W	250	—	20W	40000	2.00"	—
81996	G4	JC3/830/OMNI/IP65/LED	IP65 Omnidirectional LED	1/10	10-15	3000K	2.5W	250	—	30W	15000	1.46"	—
81078	G4	JC3VWFL/827/LED	2700K 100 DEGREE LED	1/10	10-15	2700K	3.3W	250	—	20W	25000	1.40"	—
80830	GY6.35	JC35/4WW/LED	3000K LED	1/10	10-18	3000K	4.5W	450	—	35W	30000	2.03"	—
81997	GY6.35	JC50/5WW/LED	3000K LED	1/10	10-18	3000K	5.5W	550	—	50W	30000	2.03"	—

Par36 LED Lamp, 20W-50W Equivalent

81074	MP-Term	PAR36WFL4/827/IP67/LED	Wide Flood IP67 Rated 2700K LED	1/6	10-15	2700K	4.5W	300	700	20W	40000	2.40"	40°
81075	MP-Term	PAR36WFL6/827/IP67/LED	Wide Flood IP67 Rated 2700K LED	1/6	10-15	2700K	6.5W	450	1100	35W	40000	2.40"	40°
81076	MP-Term	PAR36WFL12/827/IP67/LED	Wide Flood IP67 Rated 2700K LED	1/6	10-15	2700K	12.5W	800	2000	50W	40000	2.40"	40°

Wedge Base LED Lamp, 10W-35W Equivalent

80791	Wedge	912/1WW/LED	Mini-Wedge 3000K LED	1/10	10-18	3000K	1W	75	—	10W	20000	1.18"	—
81102L	Wedge	912/1WW/LED2	IP65 Rated Mini-Wedge 3000K LED	1/10	10-15	3000K	1.2W	125	—	20W	40000	1.51"	—
81101L	Wedge	3155/2WW/LED2	IP65 Rated Wedge 3000K LED	1/10	10-15	3000K	2.3W	250	—	35W	40000	1.67"	—



MR11




JC1 (81996)



JC2 (81999)



JC3 (81996)




JC10



JC20



JC35



JC50



PAR36



WEDGE



SOLLOS WARRANTY:

Integrated transformers, 912 wedge lamps, silicon IP65 rated lamps, non-IP rated JC lamps and filament lamps are backed by 2-year parts only coverage.

Antique brass under water lights, commercial transformer accessories, ColorSplash RGBW lamps, fixtures and accessories are backed by 3-year parts only coverage.

MR16 lamps (excluding ColorSplash) and non-silicon IP65 rated JC lamps are backed by a 20-year limited warranty when installed into a Sollos fixture in recommended conditions and packaging warnings are followed. When installed into other fixtures, these lamps are backed by a 5-year limited warranty.

Brass, copper, stainless steel and composite light fixtures, pendant lights, commercial transformers, metal deck mounts, fixture riser accessories, ground stakes and extension cable fixture accessories are backed by limited lifetime parts only coverage.

ADDITIONAL WARRANTY DETAILS:

Warranty applies only to products that were purchased from Hayward or Hayward authorized sellers. Hayward reserves the right to reject warranty claims for any product purchased from unauthorized sellers, including unauthorized internet sites.

» hayward.com » 1-888-HAYWARD

[Pumps](#) » [Filters](#) » [Heaters](#) » [Water Quality](#) » [Automation](#) » [Lighting](#) » [Water Features](#) » [Cleaners](#) » [White Goods](#)
